



a brand by
Ibitikarat alkon

2025 Catalogue

Fiber Optic & IP Cameras
Solution

CONTENTS

TABLE OF



Fiber Optic Assemblies

Fiber Patch Cords
Pigtails
Fiber Adaptors

03

Fiber Optic Enclosures

Fiber Patch Panels
Termination Boxes
Fiber Closures
Fiber Splitters

11

MPO/MTP Fiber Solution

MPO/MTP Patch Cords
High Density Panels
High Density Modules
High Density Cassettes

16



Network Cameras

Fixed Cameras
PTZ Cameras
DVRs

20

Fiber Patch Cords

المواصفات السعودية
Saudi Standards



CR426 2 1 11 01

Patch Cord Base Number	Cable Type	Fiber Type	Connector Type	Length
	Duplex: 2	OS2: 1	LC/LC UPC: 22	1M: 01
	Simplex: 1	OM3: 3	LC/LC APC: 11	2M: 02
		OM4: 4	SC/SC UPC: 99	3M: 03
			SC/SC APC: 88	
			ST/ST UPC: 44	
			ST/ST APC: 33	
			FC/FC UPC: 77	
			FC/FC APC: 66	
			SC/LC UPC: 92	
			SC/LC APC: 81	

Fiber Patch Cords

المواصفات السعودية
Saudi Standards



Singlemode Fiber Specifications	
Parameter	Value
Standard	ITU-T G.652.D
Mode Field Diameter @ 1310 nm	9.2 ± 0.4 μm
Cladding Diameter	125 ± 1 μm
Coating Diameter	245 ± 10 μm
Attenuation @ 1310 nm	0.36 dB/km
Attenuation @ 1550 nm	0.22 dB/km
Chromatic Dispersion	3.5 ps/(nm·km)
PMD	0.2 ps/ km
Operating Temperature	40°C to +85°C

Connector	Insertion Loss	Return Loss
LC/UPC	0.30 dB	50 dB
LC/APC	0.30 dB	60 dB
SC/UPC	0.30 dB	50 dB
SC/APC	0.30 dB	60 dB
FC/UPC	0.30 dB	50 dB
FC/APC	0.30 dB	60 dB
ST/UPC	0.30 dB	50 dB

Multimode Fiber Specifications			
Fiber Type	Core/Cladding	Bandwidth	Attenuation (850 nm)
OM1	62.5/125 μm	200 MHz·km	3.5 dB/km
OM2	50/125 μm	500 MHz·km	3.0 dB/km
OM3	50/125 μm	2000 MHz·km	3.0 dB/km
OM4	50/125 μm	4700 MHz·km	3.0 dB/km
OM5	50/125 μm	WBMMF	3.0 dB/km

Connector	Insertion Loss	Return Loss
LC/UPC	0.30 dB	35 dB
SC/UPC	0.30 dB	35 dB
FC/UPC	0.30 dB	35 dB
ST/UPC	0.30 dB	35 dB

Fiber Patch Cords

المواصفات السعودية
Saudi Standards



Cable Structure Specifications	
Parameter	Value
Fiber Count	Simplex / Duplex
Jacket Material	PVC (Standard) — LSZH (Optional)
Cable Diameter	2.0 mm / 3.0 mm
Strength Member	Aramid Yarn (Kevlar)
Jacket Color	Yellow (SM) / Aqua or Orange (MM)

Mechanical & Environmental Performance	
Parameter	Value
Tensile Strength (Short-term)	100 N
Tensile Strength (Long-term)	50 N
Dynamic Bend Radius	30 mm
Static Bend Radius	15 mm
Operating Temperature	40°C to +85°C
Storage Temperature	45°C to +85°C

Testing & Quality Control	
Parameter	Value
Test Method	Optical Power Meter / OTDR
Wavelengths	1310 & 1550 nm (SM), 850 nm (MM)
IL Limit	0.30 dB
RL Limit (SM-UPC)	50 dB
RL Limit (SM-APC)	60 dB
RL Limit (MM)	35 dB

Certifications
ITU-T G.652.D
IEC 61754
TIA/EIA-568.3-D
RoHS / CE
IEC 61300-3-35

Fiber Patch Cords

المواصفات السعودية
Saudi Standards



Singlemode Duplex Patch Cords

P/N	Description
CR426211101	LC-APC/LC-APC Duplex, 1M
CR426211103	LC-APC/LC-APC Duplex, 3M
CR426218801	SC-APC/SC-APC Duplex, 1M
CR426218803	SC-APC/SC-APC Duplex, 3M
CR426218101	SC-APC/LC-APC Duplex, 1M
CR426218103	SC-APC/LC-APC Duplex, 3M
CR426212201	LC-UPC/LC-UPC Duplex, 1M
CR426212203	LC-UPC/LC-UPC Duplex, 3M
CR426219201	SC-UPC/LC-UPC Duplex, 1M
CR426219203	SC-UPC/LC-UPC Duplex, 3M
CR426219901	SC-UPC/SC-UPC Duplex, 1M
CR426219903	SC-UPC/SC-UPC Duplex, 3M

Singlemode Simplex Patch Cords

P/N	Description
CR426111101	LC-APC/LC-APC Simplex, 1M
CR426111103	LC-APC/LC-APC Simplex, 3M
CR426118801	SC-APC/SC-APC Simplex, 1M
CR426118803	SC-APC/SC-APC Simplex, 3M
CR426118101	SC-APC/LC-APC Simplex, 1M
CR426118103	SC-APC/LC-APC Simplex, 3M
CR426112201	LC-UPC/LC-UPC Simplex, 1M
CR426112203	LC-UPC/LC-UPC Simplex, 3M
CR426119201	SC-UPC/LC-UPC Simplex, 1M
CR426119203	SC-UPC/LC-UPC Simplex, 3M
CR426119901	SC-UPC/SC-UPC Simplex, 1M
CR426119903	SC-UPC/SC-UPC Simplex, 3M

OM3 Duplex Patch Cords

P/N	Description
CR426232201	LC-UPC/LC-UPC Duplex, 1M
CR426232203	LC-UPC/LC-UPC Duplex, 3M
CR426239201	SC-UPC/LC-UPC Duplex, 1M
CR426239203	SC-UPC/LC-UPC Duplex, 3M
CR426239901	SC-UPC/SC-UPC Duplex, 1M
CR426239903	SC-UPC/SC-UPC Duplex, 3M

OM3 Simplex Patch Cords

P/N	Description
CR426132201	LC-UPC/LC-UPC Simplex, 1M
CR426132203	LC-UPC/LC-UPC Simplex, 3M
CR426139201	SC-UPC/LC-UPC Simplex, 1M
CR426139203	SC-UPC/LC-UPC Simplex, 3M
CR426139901	SC-UPC/SC-UPC Simplex, 1M
CR426139903	SC-UPC/SC-UPC Simplex, 3M



OM4 Duplex Patch Cords

P/N	Description
CR426242201	LC-UPC/LC-UPC Duplex, 1M
CR426242203	LC-UPC/LC-UPC Duplex, 3M
CR426249201	SC-UPC/LC-UPC Duplex, 1M
CR426249203	SC-UPC/LC-UPC Duplex, 3M
CR426249901	SC-UPC/SC-UPC Duplex, 1M
CR426249903	SC-UPC/SC-UPC Duplex, 3M

OM4 Simplex Patch Cords

P/N	Description
CR426142201	LC-UPC/LC-UPC Simplex, 1M
CR426142203	LC-UPC/LC-UPC Simplex, 3M
CR426149201	SC-UPC/LC-UPC Simplex, 1M
CR426149203	SC-UPC/LC-UPC Simplex, 3M
CR426149901	SC-UPC/SC-UPC Simplex, 1M
CR426149903	SC-UPC/SC-UPC Simplex, 3M

Pigtails



CR3260 1 1 01

Pigtail Base Number

Fiber Type

Connector Type

Length

OS2: 1	LC UPC: 2	1M: 01
OM3: 3	LC APC: 1	2M: 02
OM4: 4	SC UPC: 9	3M: 03
	SC APC: 8	
	ST UPC: 4	
	ST APC: 3	
	FC UPC: 7	
	FC APC: 6	

Pigtails

المواصفات السعودية
Saudi Standards



Singlemode Pigtails

P/N	Description
CR32601101	LC/APC Singlemode Pigtail, 1m
CR32601102	LC/APC Singlemode Pigtail, 2m
CR32601103	LC/APC Singlemode Pigtail, 3m
CR32601201	LC/UPC Singlemode Pigtail, 1m
CR32601202	LC/UPC Singlemode Pigtail, 2m
CR32601203	LC/UPC Singlemode Pigtail, 3m
CR32601801	SC/APC Singlemode Pigtail, 1m
CR32601802	SC/APC Singlemode Pigtail, 2m
CR32601803	SC/APC Singlemode Pigtail, 3m
CR32601901	SC/UPC Singlemode Pigtail, 1m
CR32601902	SC/UPC Singlemode Pigtail, 2m
CR32601903	SC/UPC Singlemode Pigtail, 3m

OM3 Pigtails

P/N	Description
CR32603201	LC/UPC OM3 Pigtail, 1m
CR32603202	LC/UPC OM3 Pigtail, 2m
CR32603203	LC/UPC OM3 Pigtail, 3m
CR32603801	SC/UPC OM3 Pigtail, 1m
CR32603902	SC/UPC OM3 Pigtail, 2m
CR32603903	SC/UPC OM3 Pigtail, 3m

OM4 Pigtails

P/N	Description
CR32604201	LC/UPC OM4 Pigtail, 1m
CR32604202	LC/UPC OM4 Pigtail, 2m
CR32604203	LC/UPC OM4 Pigtail, 3m
CR32604901	SC/UPC OM4 Pigtail, 1m
CR32604902	SC/UPC OM4 Pigtail, 2m
CR32604903	SC/UPC OM4 Pigtail, 3m

Fiber Adaptors



Simplex Singlemode



SC APC



SC UPC



LC APC



LC UPC

Duplex Singlemode



SC APC



SC UPC



LC APC



LC UPC

Simplex Multimode



SC UPC



LC UPC

Duplex Multimode



SC UPC



LC UPC

CR526

1

1

1

Fiber Adaptor Base Number	Fiber Type	Connector Type	Cores No.
	SM: 1	LC UPC: 2	Simplex: 1
	MM: 3	LC APC: 1	Duplex: 2
		SC UPC: 9	Quad: 3
		SC APC: 8	

Fiber Adaptors

المواصفات السعودية
Saudi Standards



Singlemode Fiber Adaptor


P/N	Description
CR526112	LC/APC Singlemode Coupler Duplex
CR526111	LC/APC Singlemode Coupler Simplex
CR526122	LC/UPC Singlemode Coupler Duplex
CR526121	LC/UPC Singlemode Coupler Simplex
CR526192	SC/UPC Singlemode Coupler Duplex
CR526191	SC/UPC Singlemode Coupler Simplex
CR526182	SC/APC Singlemode Coupler Duplex
CR526181	SC/APC Singlemode Coupler Simplex

Multimode Fiber Adaptor

P/N	Description
CR526212	LC/APC Multimode Coupler Duplex
CR526211	LC/APC Multimode Coupler Simplex
CR526222	LC/UPC Multimode Coupler Duplex
CR526221	LC/UPC Multimode Coupler Simplex
CR526292	SC/UPC Multimode Coupler Duplex
CR526291	SC/UPC Multimode Coupler Simplex
CR526282	SC/APC Multimode Coupler Duplex
CR526281	SC/APC Multimode Coupler Simplex

Fiber Patch Panels

المواصفات السعودية
Saudi Standards



Front Panels

Available Adapters




SC Simplex
12 LC Duplex
LSH Simplex




12 SC Duplex
LC Quad




24 SC Simplex
LC Duplex
LSH Simplex



24 SC Duplex
LC Quad



24 SC Simplex
LC Duplex



24 FC Simplex
ST Simplex

CR10 1 1 1 1 2 24

Patch Panel Base Number

Material Type

Open Mechanizm

Connector

Cores No.

Fiber Type

Fiber Count

Steel: 1

Fixed: 0

LC UPC: 2

Simplex: 1

SM: 1

12 Fiber: 12

ABS: 2

Sliding: 1

LC APC: 1

Duplex: 2

MM: 2

24 Fiber: 24

SC UPC: 9

Quad: 3

48 Fiber: 48

SC APC: 8

Fiber Patch Panels

المواصفات السعودية
Saudi Standards



Singlemode Fiber Patch Panels

P/N	Description
CR101122124	1U, Sliding Fiber patch panel, with front faceplate 12 port SM LC duplex
CR101122148	1U, Sliding Fiber patch panel, with front faceplate 24 port SM LC duplex
CR101191124	1U, Sliding Fiber patch panel, with front faceplate 24 port SM SC simplex
CR101192148	1U, Sliding Fiber patch panel, with front faceplate 24 port SM SC duplex
CR102122148	ABS, Sliding Fiber patch panel, with front faceplate 24 port SM LC duplex
CR102192124	ABS, Sliding Fiber patch panel, with front faceplate 12 port SM SC duplex
CR102192148	ABS, Sliding Fiber patch panel, with front faceplate 24 port SM SC duplex
CR101122124	1U, Sliding Fiber patch panel, with front faceplate 12 port SM LC duplex

Multimode Fiber Patch Panels

P/N	Description
CR101122224	1U, Sliding Fiber patch panel, with front faceplate 12 port MM LC duplex
CR101122248	1U, Sliding Fiber patch panel, with front faceplate 24 port MM LC duplex
CR101191224	1U, Sliding Fiber patch panel, with front faceplate 24 port MM SC simplex
CR101192248	1U, Sliding Fiber patch panel, with front faceplate 24 port MM SC duplex
CR102122248	ABS, Sliding Fiber patch panel, with front faceplate 24 port MM LC duplex
CR102192224	ABS, Sliding Fiber patch panel, with front faceplate 12 port MM SC duplex
CR102192248	ABS, Sliding Fiber patch panel, with front faceplate 24 port MM SC duplex
CR101122224	1U, Sliding Fiber patch panel, with front faceplate 12 port MM LC duplex

Fiber Termination Boxes

المواصفات السعودية
Saudi Standards



Outdoor Termination box



Indoor Termination box

CR12	20	1	002
Termination Box Base No.	IP Rate	Material Type	Fiber Capacity
	IP20: 20	Steel: 1	2 Core: 2
	IP65: 65	ABS: 2	4 Core: 4
	IP68: 68		8 Core: 8
			16 Core: 16
			24 Core: 24
			48 Core: 48

Termination Box	
P/N	Description
CR12202002	Indoor FTTH Plastic Fiber Optical Cable Access Termination Box 2 Core
CR12202004	Indoor FTTH Plastic Fiber Optical Cable Access Termination Box 4 Core
CR12652004	Outdoor, Waterproof, FTTH Plastic Fiber Optical Cable Access Termination Box 4 Core
CR12652008	Outdoor, Waterproof, FTTH Plastic Fiber Optical Cable Access Termination Box 8 Core
CR12652016	Outdoor, Waterproof, FTTH Plastic Fiber Optical Cable Access Termination Box 16 Core
CR12652024	Outdoor, Waterproof, FTTH Plastic Fiber Optical Cable Access Termination Box 24 Core
CR12652048	Outdoor, Waterproof, FTTH Plastic Fiber Optical Cable Access Termination Box 48 Core

Fiber Closures

المواصفات السعودية
Saudi Standards



Outdoor Termination box



Indoor Termination box

CR76	1	65	024
Fiber Closure Base Number	ClosureType	IP Rate	Fiber Capacity
	Dome: 1	IP65: 65	24 Core: 24
	Horizontal: 2	IP68: 68	48 Core: 48
			96 Core: 96
			144 Core: 144
			288 Core: 288

Dome Type Closures	
P/N	Description
CR76165024	24F IP65 Dome Type, Fiber Optic Closure
CR76165048	48F IP65 Dome Type, Fiber Optic Closure
CR76165096	96F IP65 Dome Type, Fiber Optic Closure
CR76165144	144F IP65 Dome Type, Fiber Optic Closure
CR76165288	288F IP65 Dome Type, Fiber Optic Closure
Horizontal Type Closures	
P/N	Description
CR76265024	24F IP65 Horizontal type, Fiber Optic Closure
CR76265048	48F IP65 Horizontal type, Fiber Optic Closure
CR76265096	96F IP65 Horizontal type, Fiber Optic Closure
CR76265144	144F IP65 Horizontal type, Fiber Optic Closure
CR76265288	288F IP65 Horizontal type, Fiber Optic Closure

Fiber Splitters

المواصفات السعودية
Saudi Standards



ABS Box Splitter



Rack Mount Splitter



Terminal Box Splitter

CR80

1

8

108

Fiber Splitter Base Number

Splitter Type

Fiber Type

Splitting Branches

ABS Box: 1	SC/APC:8	1 to 2: 102
Rack Mount: 2	SC/UPC:9	1 to 4: 104
Terminal Box: 3	LC/APC:1	1 to 8: 108
	LC/UPC:2	1 to 16: 116
		1 to 32: 132
		2 to 2: 202
		2 to 4: 204
		2 to 8: 208
		2 to 16: 216
		2 to 32: 232

ABS Box Type Splitters

P/N	Description
CR8018102	Splitter 1: 2 ABS Box Type with SC APC Connector
CR8018104	Splitter 1: 4 ABS Box Type with SC APC Connector
CR8018108	Splitter 1: 8 ABS Box Type with SC APC Connector
CR8018116	Splitter 1: 16 ABS Box Type with SC APC Connector
CR8018132	Splitter 1: 32 ABS Box Type with SC APC Connector

Rack Mount Type Splitters


P/N	Description
CR8028102	Splitter 1: 2 Rack Mount Type with SC APC Connector
CR8028104	Splitter 1: 4 Rack Mount Type with SC APC Connector
CR8028108	Splitter 1: 8 Rack Mount Type with SC APC Connector
CR8028116	Splitter 1: 16 Rack Mount Type with SC APC Connector
CR8028132	Splitter 1: 32 Rack Mount Type with SC APC Connector

Terminal Box Type Splitters


P/N	Description
CR8038102	Splitter 1: 2 Terminal Box Type with SC APC Connector
CR8038104	Splitter 1: 4 Terminal Box Type with SC APC Connector
CR8038108	Splitter 1: 8 Terminal Box Type with SC APC Connector
CR8038116	Splitter 1: 16 Terminal Box Type with SC APC Connector
CR8038132	Splitter 1: 32 Terminal Box Type with SC APC Connector

MTP Patch Cords

المواصفات السعودية
Saudi Standards



OS2 MTP Patch Cord



OM3 MTP Patch Cord



OM4 MTP Patch Cord

CR50	1	1	00	08	01
MTP Patch Cord Base No.	Fiber Type	Polarity	Connector Type	Fiber Count	Length
OS2: 1	A Pol.: 1	Male-Male: 00	8F: 08	1M: 01	
OM3: 3	B Pol.: 2	Female-Female: 11	12F: 12	3M: 03	
OM4: 4	C Pol.: 3	Male-Female: 01	24F: 24		
		Female-Male: 10			

Singlemode MTP Patch Cords

P/N	Description
CR5011000801	MTP Male-MTP Male Base-8 Singlemode Patch Cord 1m
CR5011000803	MTP Male-MTP Male Base-8 Singlemode Patch Cord 3m
CR5011001201	MTP Male-MTP Male Base-12 Singlemode Patch Cord 1m
CR5011001203	MTP Male-MTP Male Base-12 Singlemode Patch Cord 3m
CR5011002401	MTP Male-MTP Male Base-24 Singlemode Patch Cord 1m
CR5011002403	MTP Male-MTP Male Base-24 Singlemode Patch Cord 3m


OM3 MTP Patch Cords

P/N	Description
CR5031000801	MTP Male-MTP Male Base-8 OM3 Patch Cord 1m
CR5031000803	MTP Male-MTP Male Base-8 OM3 Patch Cord 3m
CR5031001201	MTP Male-MTP Male Base-12 OM3 Patch Cord 1m
CR5031001203	MTP Male-MTP Male Base-12 OM3 Patch Cord 3m
CR5031002401	MTP Male-MTP Male Base-24 OM3 Patch Cord 1m
CR5031002403	MTP Male-MTP Male Base-24 OM3 Patch Cord 3m

OM4 MTP Patch Cords

P/N	Description
CR5041000801	MTP Male-MTP Male Base-8 OM4 Patch Cord 1m
CR5041000803	MTP Male-MTP Male Base-8 OM4 Patch Cord 3m
CR5041001201	MTP Male-MTP Male Base-12 OM4 Patch Cord 1m
CR5041001203	MTP Male-MTP Male Base-12 OM4 Patch Cord 3m
CR5041002401	MTP Male-MTP Male Base-24 OM4 Patch Cord 1m
CR5041002403	MTP Male-MTP Male Base-24 OM4 Patch Cord 3m

High Density Patch Panels





1U High Density Panel



2U High density Panel



3U High Density Panel




CR100	1	04
HD Panels Base Number	Height	Modules Capacity
	1U: 1	4 Modules: 4
	2U: 2	8 Modules: 8
	3U: 3	12 Modules: 12


Empty High Density Patch Panels	
P/N	Description
CR100104	1U, Fiber Panel High Density, accepts 4 fiber Modules /MPO
CR100208	2U, Fiber Panel High Density, accepts 8 fiber Modules /MPO
CR100312	3U, Fiber Panel High Density, accepts 12 fiber Modules /MPO

High Density Modules


المواصفات السعودية
Saudi Standards




LC/UPC OM4 Module




LC/UPC OM3 Module




LC/APC OS2 Module




LC/UPC OS2 Module




SC/UPC OM4 Module



SC/UPC OM3 Module



SC/APC OS2 Module



SC/UPC OS2 Module

CR110	1	1	1	04
HD Module Base Number	Fiber Type	Port Option	Port Type	Fiber Capacity
	OS2: 1	Simplex: 1	LC UPC: 2	6 Fibers: 6
	OM3: 3	Duplex: 2	LC APC: 1	12 Fibers: 12
	OM4: 4		SC UPC: 9	24 Fibers: 24
			SC APC: 8	

Singlemode HD Modules

P/N	Description
CR11011806	Fiber optic Singlemode 6 SC/APC Simplex Fiber adapter for high density panel
CR11011906	Fiber optic Singlemode 6 SC/UPC Simplex Fiber adapter for high density panel
CR11011812	Fiber optic Singlemode 12 SC/APC Simplex adapter for high density panel
CR11011912	Fiber optic Singlemode 12 SC/UPC Simplex adapter for high density panel
CR11012106	Fiber optic Singlemode 6 LC/APC Duplex adapter for high density panel
CR11012206	Fiber optic Singlemode 6 LC/UPC Duplex adapter for high density panel
CR11012112	Fiber optic Singlemode 12 LC/APC Duplex adapter for high density panel
CR11012212	Fiber optic Singlemode 12 LC/UPC Duplex adapter for high density panel

OM3 HD Modules

P/N	Description
CR11031906	Fiber optic OM3 6 SC/UPC Simplex Fiber adapter for high density panel
CR11031912	Fiber optic OM3 12 SC/UPC Simplex adapter for high density panel
CR11032206	Fiber optic OM3 6 LC/UPC Duplex adapter for high density panel
CR11032212	Fiber optic OM3 12 LC/UPC Duplex adapter for high density panel

OM4 HD Modules

P/N	Description
CR11041906	Fiber optic OM4 6 SC/UPC Simplex Fiber adapter for high density panel
CR11041912	Fiber optic OM4 12 SC/UPC Simplex adapter for high density panel
CR11042206	Fiber optic OM4 6 LC/UPC Duplex adapter for high density panel
CR11042212	Fiber optic OM4 12 LC/UPC Duplex adapter for high density panel

High Density Cassettes

المواصفات السعودية
Saudi Standards



12 LC OM4 MTP Cassette



12 LC OM3 MTP Cassette



12 LC/ OS2 MTP Cassette



6 LC OM4 MTP Cassette



6 LC OM3 MTP Cassette



6 LC/ OS2 MTP Cassette

CR120	1	1	111	06	1
HD Cassette Base Number	Fiber Type	Port Option	MTP Base	LC Adapters	Polarity
	OS2: 1	Simplex: 1	1xBase12: 112	6 Adap.: 6	A Pol.: 1
	OM3: 3	Duplex: 2	1xBase24: 124	12 Adap.: 12	AF Pol.: 2
	OM4: 4		2xBase12: 212	24 Adap.: 24	B Pol.: 3

Singlemode HD Cassettes

P/N	Description
CR12012124121	Fiber optic 12 LC Duplex Singlemode 1xBase-24 MTP/MPO Type A Cassette Module
CR12012212121	Fiber optic 12 LC Duplex Singlemode 2xBase-12 MTP/MPO Type A Cassette Module
CR12012112061	Fiber optic 6 LC Duplex Singlemode 1xBase-12 MTP/MPO Type A Cassette Module

OM3 HD Cassettes

P/N	Description
CR12032124121	Fiber optic 12 LC Duplex OM3 1xBase-24 MTP/MPO Type A Cassette Module
CR12032212121	Fiber optic 12 LC Duplex OM3 2xBase-12 MTP/MPO Type A Cassette Module
CR12032112061	Fiber optic 6 LC Duplex OM3 1xBase-12 MTP/MPO Type A Cassette Module

OM4 HD Cassettes

P/N	Description
CR12042124121	Fiber optic 12 LC Duplex OM4 1xBase-24 MTP/MPO Type A Cassette Module
CR12042212121	Fiber optic 12 LC Duplex OM4 2xBase-12 MTP/MPO Type A Cassette Module
CR12042112061	Fiber optic 6 LC Duplex OM4 1xBase-12 MTP/MPO Type A Cassette Module

Fixed Cameras

المواصفات السعودية
Saudi Standards



**SAUDI
MADE**



Standard Cameras



Full Color Cameras



Fixed Cameras

المواصفات السعودية
Saudi Standards



Advanced AI Cameras



CP33	D	02	0	1	1	1
Fixed Camera Base Number	Shape	Resolution	AI Support	Night Vision	POE	Auto Focus

Dome : D	2 Mega:02	No: 0	No: 0	No: 0	No: 0
Bullet: B	4 Mega:04	Yes: 1	Yes: 1	Yes: 1	Yes: 1
	5 Mega:05	Advanced: 2	Full Color: 2		
	8 Mega:08				

Fixed Cameras

المواصفات السعودية
Saudi Standards



Fixed Dome Cameras

P/N	Description
CP33D020110	IP Camera, Fixed Dome 2MP
CP33D050110	IP Camera, Fixed Dome 5MP
CP33D080110	IP Camera, Fixed Dome 8MP
CP33D051210	IP Camera, Fixed Dome 5MP, Full Color
CP33D081210	IP Camera, Fixed Dome 8MP, Full Color
CP33D021110	IP Camera, Fixed Dome 2MP, Motion Detection
CP33D041110	IP Camera, Fixed Dome 4MP, Motion Detection
CP33D042110	IP Camera, Fixed Dome 4MP, Intelligent Analytics
CP33D052110	IP Camera, Fixed Dome 5MP, Intelligent Analytics
CP33D082110	IP Camera, Fixed Dome 8MP, Intelligent Analytics
CP33D042111	IP Camera, Fixed Dome 4MP, Auto Focus, Intelligent Analytics
CP33D052111	IP Camera, Fixed Dome 5MP, Auto Focus, Intelligent Analytics

Fixed Bullet Cameras

P/N	Description
CP33B020110	IP Camera, Fixed Bullet 2MP
CP33B050110	IP Camera, Fixed Bullet 5MP
CP33B080110	IP Camera, Fixed Bullet 8MP
CP33B051210	IP Camera, Fixed Bullet 5MP, Full Color
CP33B081210	IP Camera, Fixed Bullet 8MP, Full Color
CP33B021110	IP Camera, Fixed Bullet 2MP, Motion Detection
CP33B041110	IP Camera, Fixed Bullet 4MP, Motion Detection
CP33B042110	IP Camera, Fixed Bullet 4MP, Intelligent Analytics
CP33B052110	IP Camera, Fixed Bullet 5MP, Intelligent Analytics
CP33B062110	IP Camera, Fixed Bullet 6MP, Intelligent Analytics
CP33B082110	IP Camera, Fixed Bullet 8MP, Intelligent Analytics
CP33B042111	IP Camera, Fixed Bullet 4MP, Auto Focus, Intelligent Analytics
CP33B052111	IP Camera, Fixed Bullet 5MP, Auto Focus, Intelligent Analytics

PTZ Cameras

المواصفات السعودية
Saudi Standards



360 Motion Cameras



CP66	25	02	0	1	1
PTZ Camera Base Number	Zoom	Resolution	AI Support	Night Vision	POE
	25X: 25	2 Mega:02	No: 0	No: 0	No: 0
	30X: 30	4 Mega:04	Yes: 1	Yes: 1	Yes: 1
	32X: 32	5 Mega:05	Advanced: 2	Full Color: 2	
	40X: 40	8 Mega:08			

PTZ Cameras	
P/N	Description
CP663002211	IP Camera, PTZ 25X Zoom 2MP, Intelligent Analytics
CP663002211	IP Camera, PTZ 30X Zoom 2MP, Intelligent Analytics
CP663202211	IP Camera, PTZ 32X Zoom 2MP, Intelligent Analytics
CP662504211	IP Camera, PTZ 25X Zoom 4MP, Intelligent Analytics
CP663204211	IP Camera, PTZ 32X Zoom 4MP, Intelligent Analytics
CP664004211	IP Camera, PTZ 40X Zoom 4MP, Intelligent Analytics
CP663208211	IP Camera, PTZ 32X Zoom 8MP, Intelligent Analytics

DVRs

المواصفات السعودية
Saudi Standards



Basic DVRs



High Performance DVRs



CR99	25	H
DVR Base Number	Channels	Supported Resolutions
	4CH: 04	Basic: B
	8CH: 08	High Performance: H
	16CH: 16	
	32CH: 32	

DVR	
P/N	Description
CR9904B	4-channel Standard DVR
CR9908B	8-channel Standard DVR
CR9916B	16-channel Standard DVR
CR9904H	4-channel 5MP DVR
CR9908H	8-channel 5MP DVR
CR9932H	32-channel 5MP DVR



 Jeddah, Saudi Arabia

 mail@gmail.com

 +966 514 44142